


BI-PARTING SLIDING GATE

EXAMPLE:

Typical 8'W x 8'H bi-parting sliding gate shown here.

Panel configuration and quantity will vary based on gate dimensions.

Assembly instructions are specific to the size and material of your gate. See Installation Manual for complete details.



Description

Cogan bi-parting sliding gates are available in a similar range of convenient sizes as our sliding gates. Ideal for use in constricted areas. All bi-parting sliding gates are equipped with a padlock hasp. Additional lock options are also available. Doors are made of 2" x 2" x 10 GA welded wire mesh framed in 1 1/4" x 1 1/4" x 12GA structural angle with two welded 1/2" Ø reinforcement.


PRODUCT INFORMATION

Specifications

| | |
|--------------------|---|
| Door Heights | 7' to 20' |
| Type of Door | Bi-Parting Sliding Gate |
| Door Stop | Attached to the right door. |
| Finish | Powder-coated |
| Mesh Size | 2" x 2" x 10GA |
| Materials Mesh | Steel Wire |
| Frame Material | Structural Angle 1 1/4" x 1 1/4" x 12GA |
| Type of Closure | Padlock Hasp (Optional locks available) |
| Stiffening profile | 1/2" Ø Reinforcement rod |

ORIENTATION OF GATE OPENING

Opening at Center




COLORS 

Cogan Grey

SIZES

Please consult the table below for a complete list of dimensions.



| H \ W | 5'-0" | 6'-0" | 8'-0" | 9'-0" | 10'-0" | 11'-0" | 12'-0" | 14'-0" | 16'-0" | 18'-0" | 20'-0" | 22'-0" | 24'-0" |
|--------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 7'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 8'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 9'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 10'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 11'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — |
| 12'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — |
| 13'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — |
| 14'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — |
| 15'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — |
| 16'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — |
| 17'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — |
| 18'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — |
| 19'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — | — |
| 20'-0" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — | — |

✓ Indicates gate dimension is available.
— Indicates gate dimension is not available.

LOCK OPTIONS

Below are the standard lock options for our partition security gates. Choose between a latch and key, or keys on both sides for added security. Panic bars are not available for bi-parting sliding gate.

